



佳科机电
JIAKE JIDIAN

ShiJiaZhuang JiaKe Electromechanical Technology Co., Ltd.

Tel: +86 0311 67906786 WhatApp: 0086 187301 93235

Website: www.jkwroughtironmachine.com Email: jkmachine@jkwroughtironmachine.com

Address: No.10 changsheng Street, Luquan District, Shijiazhuang City, Hebei Province, China

JK-YW16 Hot-Roll Fishtail Mill Machine

The picture of Machine



Brief Instruction

JK-YW16 Hot-Roll Fishtail Mill Machine is the latest type machine in the result of our R&D trial and experienced-test. It is based on the improvement in the part of rolling material of old type change eccentric roller into eccentric shaft, make the roll change into three groove form, to increase three working life than the others, the flat roller added in outer side can make the square bar and round bar be sharp points and pressed-flat. This new machine can process the tail pipe, square pipe, square steel, flat iron, round steel and other materials. Processed products only change the length of the width of the same, both beautiful and generous.

Main Features:


1. It is not necessary to beat flat the bevel edge, and it can realize at one time molding. The molding material end becomes wider and thinner with the thickness no more than 2 mm.
2. It used cyclonical two-speed reducer to large torque. It adopts special way for the torque transmission between the gear box and working case, ensuring smooth and reliable mechanical operation.
3. On the back holdup plate of the machine, there is a rolling size localization device. We can accord the product requirement select the rolling length localization size and achieve the optimum result.
4. Making the fishtail shape, plain shape, once forming processing.
5. This machine change eccentric roller into eccentric shaft, make the roll change into three groove form, with the method of inverted key-way, to increase three working life than the others.

The picture of Product



Main Performance

Working Ability	Flat Iron	≤ 60*10 mm
	Square Steel	≤ φ 16 mm
	Round Steel	≤ 16*16 mm
Spindle Speed	10 r/min	
Motor Performance	3 KW	
Voltage	380 V	



Attaching Parts



Package Performance




J° Pallets	1
Dimensions of the machine	1060*500*1120mm
External Dimensions	1110*550*1170mm
Volume	0.71m ³
Net Weight	380 KG
Gross Weight	400 KG

Supporting Machine


JK-GP40

The Power of Iron Efficient Heater



JK-CJ16

Electric Make Coil Machine



JK-DW16

Program Controlled Pattern Bender Machine



Other Features:

- Pallet bench to move the machine easily to the work site or storage.
- The machine is delivered completely mounted.
- Packaging with steel pallet and 3-layered cardboard, suitable for sea freight.
- Optional: Complete wooden packaging for free fumigation.

We guarantee safe, fast and efficient transport.

ShiJiaZhuang JiaKe Electromechanical Technology Co., Ltd.



佳科机电
JIAKE JIDIAN

Contact Person:	Tony. Liu	Tel:	0086 3011 6790 6786
Phone:	0086 157 3312 2081	WhatsApp:	0086 187 301 93235
Website:	www.jkwroughtironmachine.com	Email:	jkmachine@jkwroughtironmachine.com
Co. Address:	No.10 changsheng Street, Luquan District, Shijiazhuang City, Hebei Province, China		

