



ShiJiaZhuang JiaKe Electromechanical Technology Co., Ltd.

Tel: +86 0311 67906786 WhatApp: 0086 187301 93235

Website: www.jkwroughtironmachine.com Email: jkmachine@jkwroughtironmachine.com


Address: No.10 changsheng Street, Luquan District, Shijiazhuang City, Hebei Province, China

JK-CJ16 Electric Make Coil Machine

The picture of Machine



The picture of Product



Brief Instruction



This machine is our latest R&D specializing in make rolls. It can make different specifications of flat iron, square steel, round steel (fishtail) tightly into volumes after heater, like a flower core shape formation. Greatly improve the elegant art style of iron. It's the indispensable mechanical equipment. This machine is equipped with three kinds of molds, can be rolled into $\phi 30$, $\phi 40$, $\phi 50$ diameter size of the volume flower. Basically meet the production of iron art making in different specifications of flat iron, square steel, round steel, square tube, pipe (fishtail) end coil requirement. The machine is convenient and quick to replace the mold, easy to adjust, easy to operate. High quality coil, and consistency, and high production efficiency.

Main Features:

1. Simple operation, low failure rate, power saving.
2. The mould structure is provided with a guide wheel, made the feed resistance is greatly reduced, successful rolling.
3. This machine is labor saving, high production efficiency.
4. High quality coil, and consistency. It can produce in batch.

Main Performance



| | | |
|-------------------|---------------|-----------------|
| Working Ability | Flat Iron | $\leq 30*8$ mm |
| | Square Steel | $\leq 16*16$ mm |
| | Round Steel | $\leq 16*16$ mm |
| Processing Speed | 180-200 PCS/H | |
| Motor Performance | 1.5 KW | |
| Voltage | 380 V | |

| Attaching Parts | Package Performance | | |
|--|---|---------------------------|--------------------|
|  |  | J° Pallets | 1 |
| | | Dimensions of the machine | 1000*500*1200mm |
| | | External Dimensions | 1050*550*1250mm |
| | | Volume | 0.73m ³ |
| | | Net Weight | 200 KG |
| | | Gross Weight | 240 KG |


Other Features:

- Pallet bench to move the machine easily to the work site or storage.
- The machine is delivered completely mounted.
- Packaging with steel pallet and 3-layered cardboard, suitable for sea freight.
- Optional: Complete wooden packaging for free fumigation.

Supporting Machine

| | | | | |
|----------------|--|---|--|---|
| JK-GP40 | The Power of Iron Efficient Heater |  |  |  |
| JK-YW16 | Hot-Roll Fishtail Mill Machine |  |  |  |
| JK-DW16 | Program Controlled Pattern Bender Machine |  |  |  |

We guarantee safe, fast and efficient transport.

| | | | | |
|---|---|---|------------------|------------------------------------|
|  佳科机电 JIAKE JIDIAN | ShiJiaZhuang JiaKe Electromechanical Technolgy Co., Ltd. | | | |
| | Contact Person: | Tony. Liu | Tel: | 0086 3011 6790 6786 |
| | Phone: | 0086 157 3312 2081 | WhatsApp: | 0086 187 301 93235 |
| | Website: | www.jkwroughtironmachine.com | Email: | jkmachine@jkwroughtironmachine.com |
| | Co. Address: | No.10 changsheng Street, Luquan District, Shijiazuang City, Hebei Province, China | | |

