

ShiJiaZhuang JiaKe Electromechanical Technolgy Co., Ltd.

Tel: +86 0311 67906786 WhatApp: 0086 187301 93235

Website: www.jkwroughtironmachine.com Email: jkmachine@jkwroughtironmachine.com Address: No.10 changsheng Street, Luquan District, Shijiazuang City, Hebei Province, China

JK-DW30 Program Controlled Pattern Bender Machine

The picture of Machine



The picture of Product



Attaching Parts



Brief Instruction

JK-DW30 Program Controlled Pattern Bender Machine has program controlled as PC, This machine is designed from JK-DW16 Machine, It's more suitable for large products, such as 30 mm square tube or 20 mm square steel, it can be make 6 m of material processed into S type, apply to the gate design, product appearance beautiful, welcomed by many customers.

Main Features

- 1. Curved flower timing and positioning atomic control of the machine, to ensure the consistency of product processing, reduce working time and labor intensity.
- 2. Die novelty designed, surface smooth, mold our spread a large space, convenient for operation, can produce big more large flower type.
- 3. The latest development of double-layer mould processing square tube, pipe etc., Smooth surface without distortion.
- 4. Comprehensive function, it can bend all kinds and specification of C, P and S patterns.

| Main Performan | ce | , |
|----------------|----|---|
|----------------|----|---|

| | Flat Iron | ≤80*20mm | |
|-------------------|--------------------|------------|--|
| | Square Steel | ≤ 20*20 mm | |
| Working Ability | Square Tube | ≤30*30 mm | |
| | Round Pipe | φ30 mm | |
| Motor Performance | Power | 5.5 KW | |
| | Voltage | 380 V | |
| | | | |

Package Performance



| J° Pallets | 1 |
|---------------------------|------------------|
| Dimensions of the machine | 900*1400*1050mm |
| External Dimensions | 1000*1500*1800mm |





| Volume | 2.7 m² |
|--------------|--------|
| Net Weight | 480 KG |
| Gross Weight | 550 KG |

Other Features:

- Pallet bench to move the machine easily to the work site or storage.
- The machine is delivered completely mounted.
- Packaging with steel pallet and 3-layered cardboard, suitable for sea freight.
- Optional: Complete wooden packaging for free fumigation.

Supporting Machine

| JK-GP40 | The Power of Iron Efficient Heater | (b) (b) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c | |
|---------|---------------------------------------|--|--|
| JK-YW16 | Hot-Roll Fishtail Mill Machine | | |
| JK-CJ16 | Electric Make Coil Machine | | |

We guarantee safe, fast and efficient transport.



ShiJiaZhuang JiaKe Electromechanical Technolgy Co., Ltd.

| Contact Person: | Tony. Liu | Tel: | 0086 3011 6790 6786 | |
|------------------------|---|------------|--|--|
| Phone: | 0086 157 3312 2081 | Whats App: | 0086 187 301 93235 | |
| Website: | www.jkwroughtironmachine.com | Email: | jkmachine@jkwrought ironmachine.com | |
| Co. Address: | No.10 changsheng Street, Luquan District, Shijiazuang City, Hebei Province, China | | | |



